

PRINTER RUSH

(PTO ASSISTANCE)

Application : 09/581,594

Examiner : Douyon

GAU : 1751

From : KEM

Location : IDC FMF FDC

Date : 1/11/06

Tracking #: epm 09/581,594 Week Date: 12/19/05

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input checked="" type="checkbox"/> Other <u>NOA-exam. amd.</u>
<input type="checkbox"/> DRW		<u>12/12/05</u>
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input checked="" type="checkbox"/> SPEC	<u>1-30-03</u>	

[RUSH] MESSAGE:

(1) Amendment 2.3 of examiner's amendment
does not match the specification. Please resolve.

Thank you

KEM

[XRUSH] RESPONSE:

The amendment 2.3 of Examiner's Amendment
is proper. The specification dated 1-30-03 belongs to a
pending application SN: 09/701,781 sent by applicant dated 1-30-03,
(see Miscellaneous Incoming Letter in IFW). The proper specification
of this application is dated 06/15/2000 with 61 pages.

INITIALS: Lmt

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04

1/31/06